



Certificate of Compliance

Certificate: 70133275

Master Contract: 269671

Project: 70133275

Date Issued: 2017-05-04

Issued to: Sunman (Hong Kong) Limited.
Room 1401, 14/F., World Commerce Centre, Harbour City,
7-11 Canton Road, Tsimshatsui, Kowloon, Hong Kong.
Attention: Ted Kong

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US (indicating that products have been manufactured to the requirements of both Canadian and US Standards) or with adjacent indicator 'US' for US only or without either indicator for Canada only.



Issued by: Qiang (Sean) Jiang
Qiang (Sean) Jiang

PRODUCTS

CLASS - C531110 - POWER SUPPLIES-Photovoltaic Modules and Panels

CLASS - C531190 - POWER SUPPLIES-Photovoltaic Modules and Panels - Certified to US Standards

Photovoltaic Modules with maximum system voltage of 600 V dc and Class C fire class rating (Canada),

Model Series SMDXXXM-6X12 (XXX = 275 to 340 step 5), SMDXXXM-6X10 (XXX = 230 to 280 step 5), SMDXXXM-6X06 (XXX = 140 to 170 step 5), SMDXXXM-4X12 (XXX = 185 to 225 step 5), SMDXXXM-4X10 (XXX = 155 to 190 step 5), SMDXXXM-4X09 (XXX = 140 to 170 step 5), SMDXXXM-4X06 (XXX = 090 to 110 step 5), SMDXXXM-4X04 (XXX = 060 to 075 step 5), SMDXXXM-2X12 (XXX = 090 to 110 step 5), SMDXXXM-2X10 (XXX = 075 to 095 step 5), SMDXXXM-2X06 (XXX = 045 to 055 step 5), SMDXXXM-2X04 (XXX = 030 to 035 step 5).

Model Series SMDXXXP-6X12 (XXX = 275 to 340 step 5), SMDXXXP-6X10 (XXX = 230 to 280 step 5), SMDXXXP-4X12 (XXX = 185 to 225 step 5), SMDXXXP-4X10 (XXX = 155 to 190 step 5), SMDXXXP-4X06 (XXX = 090 to 110 step 5), SMDXXXP-2X12 (XXX = 090 to 110 step 5), SMDXXXP-2X10 (XXX = 075 to 095 step 5), SMDXXXP-2X06 (XXX = 045 to 055 step 5),



Certificate: 70133275

Project: 70133275

Master Contract: 269671

Date Issued: 2017-05-04

Model Series SMAXXXM-6X12 (XXX = 275 to 340 step 5), SMAXXXM-6X10 (XXX = 230 to 280 step 5), SMAXXXM-6X06 (XXX = 140 to 170 step 5), SMAXXXM-4X12 (XXX = 185 to 225 step 5), SMAXXXM-4X10 (XXX = 155 to 190 step 5), SMAXXXM-4X09 (XXX = 140 to 170 step 5), SMAXXXM-4X06 (XXX = 090 to 110 step 5), SMAXXXM-4X04 (XXX = 060 to 075 step 5), SMAXXXM-2X12 (XXX = 090 to 110 step 5), SMAXXXM-2X10 (XXX = 075 to 095 step 5), SMAXXXM-2X06 (XXX = 045 to 055 step 5), SMAXXXM-2X04 (XXX = 030 to 035 step 5).

Model Series SMAXXXP-6X12 (XXX = 275 to 340 step 5), SMAXXXP-6X10 (XXX = 230 to 280 step 5), SMAXXXP-4X12 (XXX = 185 to 225 step 5), SMAXXXP-4X10 (XXX = 155 to 190 step 5), SMAXXXP-4X06 (XXX = 090 to 110 step 5), SMAXXXP-2X12 (XXX = 090 to 110 step 5), SMAXXXP-2X10 (XXX = 075 to 095 step 5), SMAXXXP-2X06 (XXX = 045 to 055 step 5).

Notes:

1. Rated electrical characteristics are within +/-10% of measured values at Standard Test Conditions of 100 mW/cm² irradiance, AM 1.5 spectrum, and cell temperature of 25 °C, with NOCT 45 °C.

APPLICABLE REQUIREMENTS

ULC/ORD- C1703-01 - Flat-Plate Photovoltaic Modules and Panels
UL 1703-3rd Edition - Flat-Plate Photovoltaic Modules and Panels



Supplement to Certificate of Compliance

Certificate: 70133275

Master Contract: 269671

*The products listed, including the latest revision described below,
are eligible to be marked in accordance with the referenced Certificate.*

Product Certification History

Project	Date	Description
70133275	2017-05-04	Full investigation for Photovoltaic Modules.