

# Safety Data Sheet

## FOE17304 - ISOPROPILYC ALCOHOL spray 200 ml

Safety Data Sheet dated 7/11/2016, version 1

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:

Trade name: FOE17304 - ISOPROPILYC ALCOHOL spray 200 ml

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Technical product

Uses advised against:

do not use on humans and animals

#### 1.3. Details of the supplier of the safety data sheet

Company:

TECNOWARE SRL Via Montetrini 2/E - Loc. Molino del Piano - 50065 - Pontassieve - Florence - Italy

TECNOWARE SRL Phone. n. +39 05588404 Fax n. +39 0558367457

#### 1.4. Emergency telephone number


TECNOWARE SRL Phone. n. +39 05588404 Fax n. +39 0558367457


---


### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

 Danger, Aerosols 1, Extremely flammable aerosol. Pressurized container: may burst if heated.

 Warning, Eye Irrit. 2, Causes serious eye irritation.

 Warning, STOT SE 3, May cause drowsiness or dizziness.

Adverse physicochemical, human health and environmental effects:

No other hazards

#### 2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H222+H229 Extremely flammable aerosol. Pressurized container: may burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P271 Use only outdoors or in a well-ventilated area.

# Safety Data Sheet

## FOE17304 - ISOPROPILYC ALCOHOL spray 200 ml

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with applicable regulations.

### Special Provisions:

None

### Contents:

propan-2-ol; isopropyl alcohol; isopropanol

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

### 2.3. Other hazards

vPvB Substances: None - PBT Substances: None

### Other Hazards:

may form explosive vapor / air mixtures in places not well ventilated






## SECTION 3: Composition/information on ingredients

### 3.1. Substances

N.A.

### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 80% - < 90%	propan-2-ol; isopropyl alcohol; isopropanol	Index 603-117-00-0	 2.6/2 Flam. Liq. 2 H225
		number:	 3.3/2 Eye Irrit. 2 H319
		CAS: 67-63-0	 3.8/3 STOT SE 3 H336
		EC: 200-661-7	
>= 15% - < 20%	GPL	REACH No.: 01-2119457558-25	
		CAS: 68476-40-4	 2.5/C Compr. Gas H280
		EC: 270-681-9	 2.2/1 Flam. Gas 1 H220
		REACH No.: 01-2119486557-22-XXXX	DECLK (CLP)*

\*DECLK (CLP): This substance is classified in accordance with Note K, Annex VI of EC Regulation CE 1272/2008. The classification as a carcinogen or mutagen need not apply if it can be shown that the substance contains less than 0,1 % w/w 1,3-butadiene (EINECS No 203-450-8). If the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-)P210-P403 (Table 3.1) or the S-phrases (2-)9-16 (Table 3.2) should apply. This note applies only to certain complex oil-derived substances in Part 3.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

#### In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

## Safety Data Sheet

### FOE17304 - ISOPROPILYC ALCOHOL spray 200 ml

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Frostbite

Section 11

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

---

#### SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

CO2 or Dry chemical fire extinguisher.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

---

#### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

---

#### SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

## Safety Data Sheet

### FOE17304 - ISOPROPILYC ALCOHOL spray 200 ml

See also section 8 for recommended protective equipment.

- 7.2. Conditions for safe storage, including any incompatibilities  
store in a cool, well ventilated place, away from heat, flames, sparks or other sources of ignition  
keep only in the original container away from sunlight neighborhoods  
avoid contact with skin and eyes, inhalation of vapours/mists/dusts.  
do not use empty containers before they are cleaned.  
contaminated clothing must be replaced before entering the dining areas.  
at work do not eat or drink.  
do not smoke  
avoid the accumulation of electrostatic charges  
Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.  
Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.  
Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Cool and adequately ventilated.
- 7.3. Specific end use(s)  
ideal for the cleaning of electronic boards

---

#### SECTION 8: Exposure controls/personal protection

- 8.1. Control parameters  
propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0  
ACGIH - LTE(8h): 200 ppm - STE: 400 ppm - Notes: A4, BEI - Eye and URT irr, CNS impair  
DNEL Exposure Limit Values  
N.A.  
PNEC Exposure Limit Values  
N.A.
- 8.2. Exposure controls  
Eye protection:  
Use close fitting safety goggles, don't use eye lens.  
Protection for skin:  
No special precaution must be adopted for normal use.  
Protection for hands:  
Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.  
Respiratory protection:  
Use adequate protective respiratory equipment.  
Thermal Hazards:  
Do not expose to temperatures exceeding 50° c.  
Environmental exposure controls:  
None  
Appropriate engineering controls:  
None

---

#### SECTION 9: Physical and chemical properties

- 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	colourless liquid	--	--

# Safety Data Sheet

## FOE17304 - ISOPROPILYC ALCOHOL spray 200 ml

Odour:	characteristic	--	--
Odour threshold:	Not Relevant	--	--
pH:	Not Relevant	--	--
Melting point / freezing point:	<-40 °C	--	--
Initial boiling point and boiling range:	>76 °C	--	--
Flash point:	< 0 °C	--	--
Evaporation rate:	Not Relevant	--	--
Solid/gas flammability:	Not Relevant	--	--
Upper/lower flammability or explosive limits:	Not Relevant	--	--
Vapour pressure:	6 bar	--	--
Vapour density:	>2	--	--
Relative density:	0.8 kg/l	--	--
Solubility in water:	partial	--	--
Solubility in oil:	complete	--	--
Partition coefficient (n-octanol/water):	Not Relevant	--	--
Auto-ignition temperature:	400 °C (gas)	--	--
Decomposition temperature:	Not Relevant	--	--
Viscosity:	Not Relevant	--	--
Explosive properties:	not explosive	--	--
Oxidizing properties:	non-oxidizing	--	--

### 9.2. Other information

Properties	Value	Method:	Notes:
kinematic viscosity:	kv > 2,05 mm <sup>2</sup> /s (a 40 °C)	--	--
Miscibility:	partial	--	--
Fat Solubility:	organic solvent	--	--
Conductivity:	Not Relevant	--	--
Substance Groups relevant properties	Not Relevant	--	--

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under normal conditions

### 10.2. Chemical stability

Stable under normal conditions

### 10.3. Possibility of hazardous reactions

may form explosive vapor / air mixtures in places not well ventilated

### 10.4. Conditions to avoid

keep away from heat, sources of ignition

strong acids

avoid the accumulation of electrostatic charges

### 10.5. Incompatible materials

oxidizing agents

## Safety Data Sheet

### FOE17304 - ISOPROPILYC ALCOHOL spray 200 ml

- acids, alkalis and alkaline metals
- 10.6. Hazardous decomposition products  
the product is flammable, following combustion can lead to the formation of dangerous decomposition products  
by thermal decomposition can rid COx

---

#### SECTION 11: Toxicological information

- 11.1. Information on toxicological effects  
Toxicological information of the mixture:  
N.A.  
Toxicological information of the main substances found in the mixture:  
propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0  
a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat > 5840 mg/kg  
Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg  
GPL - CAS: 68476-40-4  
a) acute toxicity:  
Test: LC50 - Route: Inhalation - Species: Rat > 658 mg/l

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

---

#### SECTION 12: Ecological information

- 12.1. Toxicity  
Adopt good working practices, so that the product is not released into the environment.  
propan-2-ol; isopropyl alcohol; isopropanol - CAS: 67-63-0  
a) Aquatic acute toxicity:  
Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48  
Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72  
Endpoint: EC50 - Species: Fish > 100 mg/l - Duration h: 48  
GPL - CAS: 68476-40-4  
a) Aquatic acute toxicity:  
Endpoint: LC50 - Species: Fish Negative 19 mg/l - Duration h: 96  
Endpoint: LC50 - Species: Daphnia Negative 14.2 mg/l - Duration h: 48  
Endpoint: EC50 - Species: Algae Negative 7.7 mg/l - Duration h: 96
- 12.2. Persistence and degradability  
None  
N.A.
- 12.3. Bioaccumulative potential  
N.A.
- 12.4. Mobility in soil  
N.A.
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects

# Safety Data Sheet

## FOE17304 - ISOPROPILYC ALCOHOL spray 200 ml

None

---

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

---

### SECTION 14: Transport information

#### 14.1. UN number

ADR-UN number: 1950

IATA-Un number: 1950

IMDG-Un number: 1950

#### 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

ADR-Class: 2.5° F CAP. 2.2.2.1.6 UN1950

IATA-Class: 2.1

IMDG-Class: 2 Aerosols UN 1950

#### 14.4. Packing group

#### 14.5. Environmental hazards

Marine pollutant: No

#### 14.6. Special precautions for user

IMDG-Page: 2102

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No

---

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII

Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

Product belongs to category: P3a

#### 15.2. Chemical safety assessment

No

# Safety Data Sheet

## FOE17304 - ISOPROPILYC ALCOHOL spray 200 ml

---

### SECTION 16: Other information

Text of phrases referred to under heading 3:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H280 Contains gas under pressure; may explode if heated.

H220 Extremely flammable gas.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,  
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand  
Reinold

The information contained herein is based on our state of knowledge at the above-specified date.  
It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect  
to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.